ELSEVIER

Molecular and Cell Biology of Lipids

Vol. 1438, 1999

BIOCHIMICA ET BIOPHYSICA ACTA

BBA

www.elsevier.com/locate/bba

Cumulative Contents

Information for Contributors vii

Reviews

Signalling sphingomyelinases: which, where, how and why?
T. Levade and J.-P. Jaffrézou (France) 1

Intracellular cholesterol transport
L. Liscum and N.J. Munn (USA) 19

Regular papers

Seminal plasma choline phospholipid-binding proteins stimulate cellular cholesterol and phospholipid efflux
R. Moreau, P.G. Frank, C. Perreault, Y.L. Marcel and P. Manjunath (Canada) 38

6α-Hydroxylation of taurochenodeoxycholic acid and lithocholic acid by CYP3A4 in human liver microsomes
Z. Araya and K. Wikvall (Sweden) 47

Accumulation of glycolipids in mutant Chinese hamster ovary cells (Z65) with defective peroxisomal assembly and comparison of the metabolic rate of glycosphingolipids between Z65 cells and wild-type CHO-K1 cells
M. Saito, M. Iwamori, B. Lin, A. Oka, Y. Fujiki, N. Shimozawa, S. Kamoshita, M. Yanagisawa and Y. Sakakihara (Japan) 55

A comparison of the metabolism of [3-^{14}C]-labeled 22- and 24-carbon ($n-3$) and ($n-6$) unsaturated fatty acids by rat testes and liver
F.Q. Yin, Q. Chen and H. Sprecher (USA) 63

Tetradecylthioacetic acid (a 3-thia fatty acid) impairs secretion of oleic acid-induced triacylglycerol-rich lipoproteins in CaCo-2 cells
A. Gedde-Dahl, A. Bakillah, M.M. Hussain and A.C. Rustan (Norway, USA) 73

Induction of cellular cholesterol efflux to lipid-free apolipoprotein A-I by cAMP
S.W. Sakr, D.L. Williams, G.W. Stoudt, M.C. Phillips and G.H. Rothblat (USA) 85

Effect of tranexamic acid and δ-aminovaleric acid on lipoprotein(a) metabolism in transgenic mice
S. Frank, A. Hrzenjak, K. Kostner, W. Sattler and G.M. Kostner (Austria) 99

Bile diversion in rats leads to a decreased plasma concentration of linoleic acid which is not due to decreased net intestinal absorption of dietary linoleic acid
D.M. Minich, M. Kalivianakis, R. Havinga, H. van Goor, F. Stellaard, R.J. Vonk, F. Kuipers and H.J. Verkade (The Netherlands) 111

Growth stimulation and induction of epidermal growth factor receptor by overexpression of cyclooxygenases 1 and 2 in human colon carcinoma cells
T. Kinoshita, Y. Takahashi, T. Sakashita, H. Inoue, T. Tanabe and T. Yoshimoto (Japan) 120

Leukotriene A synthase activity of purified mouse skin arachidonate 8-lipoxygenase expressed in *Escherichia coli*
N. Qiao, Y. Takahashi, H. Takamatsu and T. Yoshimoto (Japan) 131

Beneficial effects of thyme oil on age-related changes in the phospholipid C_{20} and C_{22} polyunsaturated fatty acid composition of various rat tissues
K.A. Youdim and S.G. Deans (UK) 140

Transcriptional activation of the murine CTP:phosphocholine cytidylyltransferase gene (*Ctpct*): combined action of upstream stimulatory and inhibitory *cis*-acting elements
M. Bakovic, K. Waite, W. Tang, I. Tabas and D.E. Vance (Canada, USA) 147

ELSEVIER

Molecular and Cell Biology of Lipids

Vol. 1438, 1999

BIOCHIMICA ET BIOPHYSICA ACTA

BBA

www.elsevier.com/locate/bba

Cumulative Contents

Information for Contributors vii

Reviews

Signalling sphingomyelinases: which, where, how and why?
T. Levade and J.-P. Jaffrézou (France) 1

Intracellular cholesterol transport
L. Liscum and N.J. Munn (USA) 19

Regular papers

Seminal plasma choline phospholipid-binding proteins stimulate cellular cholesterol and phospholipid efflux
R. Moreau, P.G. Frank, C. Perreault, Y.L. Marcel and P. Manjunath (Canada) 38

6α-Hydroxylation of taurochenodeoxycholic acid and lithocholic acid by CYP3A4 in human liver microsomes
Z. Araya and K. Wikvall (Sweden) 47

Accumulation of glycolipids in mutant Chinese hamster ovary cells (Z65) with defective peroxisomal assembly and comparison of the metabolic rate of glycosphingolipids between Z65 cells and wild-type CHO-K1 cells
M. Saito, M. Iwamori, B. Lin, A. Oka, Y. Fujiki, N. Shimozawa, S. Kamoshita, M. Yanagisawa and Y. Sakakihara (Japan) 55

A comparison of the metabolism of [3-^{14}C]-labeled 22- and 24-carbon ($n-3$) and ($n-6$) unsaturated fatty acids by rat testes and liver
F.Q. Yin, Q. Chen and H. Sprecher (USA) 63

Tetradecylthioacetic acid (a 3-thia fatty acid) impairs secretion of oleic acid-induced triacylglycerol-rich lipoproteins in CaCo-2 cells
A. Gedde-Dahl, A. Bakillah, M.M. Hussain and A.C. Rustan (Norway, USA) 73

Induction of cellular cholesterol efflux to lipid-free apolipoprotein A-I by cAMP
S.W. Sakr, D.L. Williams, G.W. Stoudt, M.C. Phillips and G.H. Rothblat (USA) 85

Effect of tranexamic acid and δ-aminovaleric acid on lipoprotein(a) metabolism in transgenic mice
S. Frank, A. Hrzenjak, K. Kostner, W. Sattler and G.M. Kostner (Austria) 99

Bile diversion in rats leads to a decreased plasma concentration of linoleic acid which is not due to decreased net intestinal absorption of dietary linoleic acid
D.M. Minich, M. Kalivianakis, R. Havinga, H. van Goor, F. Stellaard, R.J. Vonk, F. Kuipers and H.J. Verkade (The Netherlands) 111

Growth stimulation and induction of epidermal growth factor receptor by overexpression of cyclooxygenases 1 and 2 in human colon carcinoma cells
T. Kinoshita, Y. Takahashi, T. Sakashita, H. Inoue, T. Tanabe and T. Yoshimoto (Japan) 120

Leukotriene A synthase activity of purified mouse skin arachidonate 8-lipoxygenase expressed in *Escherichia coli*
N. Qiao, Y. Takahashi, H. Takamatsu and T. Yoshimoto (Japan) 131

Beneficial effects of thyme oil on age-related changes in the phospholipid C_{20} and C_{22} polyunsaturated fatty acid composition of various rat tissues
K.A. Youdim and S.G. Deans (UK) 140

Transcriptional activation of the murine CTP:phosphocholine cytidylyltransferase gene (*Ctpct*): combined action of upstream stimulatory and inhibitory *cis*-acting elements
M. Bakovic, K. Waite, W. Tang, I. Tabas and D.E. Vance (Canada, USA) 147

Information for Contributors vii

Regular papers

Thyroid hormone suppresses hepatic sterol 12α-hydroxylase (CYP8B1) activity and messenger ribonucleic acid in rat liver: Failure to define known thyroid hormone response elements in the gene
U. Andersson, Y.-Z. Yang, I. Björkhem, C. Einarsson, G. Eggertsen and M. Gåfvels (Sweden) 167

Characterization of lipid efflux particles generated by seminal phospholipid-binding proteins
R. Moreau and P. Manjunath (Canada) 175

Lipid bodies and lipid body formation in an oleaginous fungus, *Mortierella ramanniana* var. *angulispora*
Y. Kamisaka, N. Noda, T. Sakai and K. Kawasaki (Japan) 185

Alteration of human leukotriene A_4 hydrolase activity after site-directed mutagenesis: serine-415 is a regulatory residue
I.V. Rybina and S.J. Feinmark (USA) 199

Formation of 9-hydroxy linoleic acid as a product of phospholipid peroxidation in diabetic erythrocyte membranes
M. Inouye, T. Mio and K. Sumino (Japan) 204

Suppression of murine endotoxic shock by $sPLA_2$ inhibitor, indoxam, through group IIA $sPLA_2$-independent mechanisms
Y. Yokota, K. Hanasaki, T. Ono, H. Nakazato, T. Kobayashi and H. Arita (Japan) 213

A yeast strain defective in oleic acid utilization has a mutation in the *RML2* gene
P.J. Trotter, R.A. Hagerman and D.R. Voelker (USA) 223

Antiplatelet effects of conjugated linoleic acid isomers
A. Truitt, G. McNeill and J.Y. Vanderhoek (UK, USA) 239

The platelet-activating factor receptor antagonist L-659,989 inhibits phospholipase D activity
A. Gómez-Muñoz, L. O'Brien and U.P. Steinbrecher (Canada) 247

Evidence for two distinct lysophospholipase activities that degrade lysophosphatidylcholine and lysophosphatidic acid in neuronal nuclei of cerebral cortex
R.R. Baker and H.-y. Chang (Canada) 253

Characterization of the transacylase activity of rat liver 60-kDa lysophospholipase-transacylase. Acyl transfer from the *sn*-2 to the *sn*-1 position
H. Sugimoto and S. Yamashita (Japan) 264

Structural characterization of lichenysin A components by fast atom bombardment tandem mass spectrometry
M.M. Yakimov, W.-R. Abraham, H. Meyer, Laura Giuliano and P.N. Golyshin (Germany, Italy) 273

Reconstituted phosphatidylserine synthase from *Escherichia coli* is activated by anionic phospholipids and micelle-forming amphiphiles
L. Rilfors, A. Niemi, S. Haraldsson, K. Edwards, A.-S. Andersson and W. Dowhan (Sweden, USA) 281

Inositides in the nucleus: presence and characterisation of the isozymes of phospholipase β family in NIH 3T3 cells
L. Cocco, S. Rubbini, L. Manzoli, A.M. Billi, I. Faenza, D. Peruzzi, A. Matteucci, M. Artico, R.S. Gilmour and S.G. Rhee (Italy, New Zealand, USA) 295

Short sequence-paper

cDNA cloning and expression of human lactosylceramide synthase
M. Takizawa, T. Nomura, E. Wakisaka, N. Yoshizuka, J. Aoki, H. Arai, K. Inoue, M. Hattori and N. Matsuo (Japan) 301

Information for Contributors vii

Reviews

Metabolism and selected functions of sphingolipids in the yeast *Saccharomyces cerevisiae*
R.C. Dickson and R.L. Lester (USA) 305

Recombinant adenovirus vector mediated expression of lipoprotein (a) [Lp(a)] in rabbit plasma
R. Ramharack, T.M.A. Bocan, M.J. Imperiale and M.A. Spahr (USA) 322

Biophysical and structural characterization of ^{1}H-NMR-detectable mobile lipid domains in NIH-3T3 fibroblasts
A. Ferretti, A. Knijn, E. Iorio, S. Pulciani, M. Giambenedetti, A. Molinari, S. Meschini, A. Stringaro, A. Calcabrini, I. Freitas, R. Strom, G. Arancia and F. Podo (Italy) 329

Calcium-dependent PAF-stimulated generation of reactive oxygen species in a human keratinocyte cell line
R. Goldman, S. Moshonov and U. Zor (Israel) 349

Effects of linoleic acid metabolites on electrical activity in adult rat ventricular myocytes
J.R. Stimers, M. Dobretsov, S.L. Hastings, A.R. Jude and D.F. Grant (USA) 359

Incorporation of esterified soybean isoflavones with antioxidant activity into low density lipoprotein
Q.-H. Meng, P. Lewis, K. Wähälä, H. Adlercreutz and M.J. Tikkanen (Finland) 369

A porcine homolog of the major secretory protein of human epididymis, HE1, specifically binds cholesterol
N. Okamura, S. Kiuchi, M. Tamba, T. Kashima, S. Hiramoto, T. Baba, F. Dacheux, J.-L. Dacheux, Y. Sugita and Y.-Z. Jin (France, Japan) 377

Novel membrane target proteins for lipoxygenase-derived mono(*S*)hydroxy fatty acids
L.-T. Kang, T.M. Phillips and J.Y. Vanderhoek (USA) 388

Inhibition by tectorigenin and tectoridin of prostaglandin E_2 production and cyclooxygenase-2 induction in rat peritoneal macrophages
Y.P. Kim, M. Yamada, S.S. Lim, S.H. Lee, N. Ryu, K.H. Shin and K. Ohuchi (Japan, South Korea) 399

Cumulative Contents, Vol. 1438 408

Author Index 411